

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 21-6-2018 Revision date: 25-10-2022 Supersedes version of: 29-6-2021 Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : DYE SUBLIMATION INK SB610 LIGHT MAGENTA T  
UFI : 7QAC-Y0GA-V80D-41PM  
Product code : SB610-LMT-(2L/BJ)  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Title	Use descriptors
DYE SUBLIMATION INK SB610 LIGHT MAGENTA T	SU0, PC18, PROC1

Full text of use descriptors: see section 16

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Mimaki Europe B.V.  
Stammerdijk 7E

1112 AA Diemen  
Netherlands

T +31 20 4627640

[reach@mimakieurope.com](mailto:reach@mimakieurope.com)

#### 1.4. Emergency telephone number

Emergency number : National Poisons Information Centre +31 (0)30 - 274 8888  
(Only for the purpose of informing medical personnel in cases of accidental intoxications.  
The emergency phone number is 24 hours/day available.)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains :

1-amino-4-hydroxy-2-phenoxyanthraquinone, 2,4,7,9-tetramethyldec-5-yne-4,7-diol, 1,2-benzisothiazol-3(2H)-one

Hazard statements (CLP) :

H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) :

P261 - Avoid breathing vapours, mist, dust.

P280 - Wear protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propane-1,2-diol substance with national workplace exposure limit(s) (GB)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809-23	20 – 30	Not classified
Glycerol substance with national workplace exposure limit(s) (GB)	CAS-No.: 56-81-5 EC-No.: 200-289-5 REACH-no: 01-2119471987-18	10 – 20	Not classified
1-amino-4-hydroxy-2-phenoxyanthraquinone	CAS-No.: 17418-58-5 EC-No.: 241-442-6 REACH-no: 01-2120094712-53	1 – 5	Skin Sens. 1A, H317
2,4,7,9-tetramethyldec-5-yne-4,7-diol	CAS-No.: 126-86-3 EC-No.: 204-809-1 REACH-no: 01-2119954390-39	0,1 – 1	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60	< 0,1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60	( 0,05 ≤ C ≤ 100) Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Move to fresh air. Respiratory arrest: artificial respiration or oxygen. Seek medical attention immediately.
- First-aid measures after skin contact : Seek medical attention if ill effect or irritation develops. Wash skin with mild soap and water. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Seek medical attention if ill effect or irritation develops.
- First-aid measures after ingestion : Seek medical attention if ill effect develops.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Carbon dioxide (CO<sub>2</sub>). Water. Water spray. Foam.
- Unsuitable extinguishing media : None.

#### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Equip cleanup crew with proper protection.

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Keep out of the reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.  
Hygiene measures : For even minor contact, immediately remove contaminated clothing. Wash skin thoroughly with mild soap and water. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry place. Keep cool. Store in a well-ventilated place.  
Information on mixed storage : Oxidation agents. Explosives.  
Storage area : Avoid: Extremely high or low temperatures. Keep out of direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Propane-1,2-diol (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> particulates 474 mg/m <sup>3</sup> total vapour and particulates
WEL TWA (OEL TWA) [2]	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Glycerol (56-81-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Glycerol
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> mist

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Glycerol (56-81-5)

Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
----------------------	---------------------------------------

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

### 1-amino-4-hydroxy-2-phenoxyanthraquinone (17418-58-5)

#### DNEL/DMEL (Workers)

Long-term - systemic effects, inhalation	3,53 mg/m <sup>3</sup>
--	------------------------

#### DNEL/DMEL (General population)

Long-term - systemic effects, oral	500 µg/kg dw
------------------------------------	--------------

Long-term - systemic effects, inhalation	870 µg/m <sup>3</sup>
--	-----------------------

#### PNEC (Water)

PNEC aqua (freshwater)	100 µg/L
------------------------	----------

PNEC aqua (marine water)	10 µg/L
--------------------------	---------

PNEC aqua (intermittent, freshwater)	1 mg/l
--------------------------------------	--------

#### PNEC (Sediment)

PNEC sediment (freshwater)	217 mg/kg dwt
----------------------------	---------------

PNEC sediment (marine water)	21,7 mg/kg dwt
------------------------------	----------------

#### PNEC (Soil)

PNEC soil	43,4 mg/kg dwt
-----------	----------------

#### PNEC (STP)

PNEC sewage treatment plant	10 mg/l
-----------------------------	---------

### 2,4,7,9-tetramethyldec-5-yne-4,7-diol (126-86-3)

#### DNEL/DMEL (Workers)

Acute - systemic effects, dermal	1,5 mg/kg bodyweight/day
----------------------------------	--------------------------

Acute - systemic effects, inhalation	5,28 mg/m <sup>3</sup>
--------------------------------------	------------------------

Long-term - systemic effects, dermal	0,5 mg/kg bodyweight/day
--------------------------------------	--------------------------

Long-term - systemic effects, inhalation	1,76 mg/m <sup>3</sup>
--	------------------------

#### DNEL/DMEL (General population)

Acute - systemic effects, dermal	750 µg/kg
----------------------------------	-----------

Acute - systemic effects, inhalation	1,29 mg/m <sup>3</sup>
--------------------------------------	------------------------

Acute - systemic effects, oral	750 µg/kg
--------------------------------	-----------

Long-term - systemic effects, oral	0,25 mg/kg bodyweight/day
------------------------------------	---------------------------

Long-term - systemic effects, inhalation	0,43 mg/m <sup>3</sup>
--	------------------------

Long-term - systemic effects, dermal	0,25 mg/kg bodyweight/day
--------------------------------------	---------------------------

#### PNEC (Water)

PNEC aqua (freshwater)	0,04 mg/l
------------------------	-----------

PNEC aqua (marine water)	0,004 mg/l
--------------------------	------------

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>2,4,7,9-tetramethyldec-5-yne-4,7-diol (126-86-3)</b>	
PNEC aqua (intermittent, freshwater)	0,4 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0,32 mg/kg dwt
PNEC sediment (marine water)	0,032 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	0,028 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	7 mg/l
<b>1,2-benzisothiazol-3(2H)-one (2634-33-5)</b>	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	966 µg/kg dw
Long-term - systemic effects, inhalation	6,81 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, inhalation	1,2 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	345 µg/kg dw
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	4,03 µg/L
PNEC aqua (marine water)	403 ng/l
PNEC aqua (intermittent, freshwater)	1,1 µg/L
PNEC aqua (intermittent, marine water)	110 ng/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	49,9 mg/kg dwt
PNEC sediment (marine water)	4,99 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	3 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	1,03 mg/l

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Where contact with eyes or skin is likely, wear suitable protection. Gloves. Protective clothing. Safety glasses.

#### Personal protective equipment symbol(s):



# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.1. Eye and face protection

#### Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed. Chemical goggles or safety glasses (acc. EN 166)

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing. Standard. EN 13034

#### Hand protection:

Use neoprene gloves. Layer thickness : Not applicable. Breakthrough time (EN 374-3:2003): >480 (www.echa.europa.eu)

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Where excessive vapour may result, wear approved mask. Dust production: dust mask with filter type P2. Standard. EN 143. EN 14387

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light magenta.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not applicable.
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

#### 2,4,7,9-tetramethyldec-5-yne-4,7-diol (126-86-3)

Boiling point	262 °C
Flash point	170 °C
Vapour pressure	0,00062 kPa

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2.2. Other safety characteristics

VOC content : 28,95 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizing agent. Blasting agent.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

Propane-1,2-diol (57-55-6)	
LD50 oral rat	22000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	> 44,9 mg/l air Animal: rat, Guideline: other:, Remarks on results: other:
1-amino-4-hydroxy-2-phenoxyanthraquinone (17418-58-5)	
LD50 oral rat	2772 mg/kg
2,4,7,9-tetramethyldec-5-yne-4,7-diol (126-86-3)	
LD50 oral rat	> 500 mg/g
LD50 dermal rat	> 2000 mg/kg bw/day
Glycerol (56-81-5)	
LD50 oral rat	27 mg/kg bodyweight Animal: rat, Animal sex: female
1,2-benzisothiazol-3(2H)-one (2634-33-5)	
LD50 oral rat	490 – 670 mg/kg
LD50 dermal rat	2000 mg/kg

Skin corrosion/irritation : Slightly irritant but not relevant for classification  
Serious eye damage/irritation : Slightly irritant but not relevant for classification  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified



# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity : Not classified  
Reproductive toxicity : Not classified

### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

NOAEL (animal/female, F1)	56,6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
---------------------------	---

STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

### Propane-1,2-diol (57-55-6)

NOAEL (subchronic, oral, animal/male, 90 days)	443 mg/kg bodyweight Animal: cat, Animal sex: male
--	--

### 1-amino-4-hydroxy-2-phenoxyanthraquinone (17418-58-5)

NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight/day
----------------------------	--------------------------

### 2,4,7,9-tetramethyldec-5-yne-4,7-diol (126-86-3)

LOAEL (oral, rat, 90 days)	150 – 500 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	≈ 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)

### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

NOAEL (oral, rat, 90 days)	69 – 150 mg/kg bodyweight/day
----------------------------	-------------------------------

Aspiration hazard : Not classified

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

### Propane-1,2-diol (57-55-6)

LC50 - Fish [1]	51400 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 72h - Algae [1]	19300 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	24200 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	19100 mg/l Test organisms (species): Skeletonema costatum
EC50 96h - Algae [2]	19000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

### 1-amino-4-hydroxy-2-phenoxyanthraquinone (17418-58-5)

LC50 - Fish [1]	162 mg/l
EC50 - Crustacea [1]	100 mg/l
EC50 - Crustacea [2]	> 80,3 mg/l Test organisms (species): Daphnia magna

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>1-amino-4-hydroxy-2-phenoxyanthraquinone (17418-58-5)</b>	
EC50 72h - Algae [1]	100 mg/l
<b>2,4,7,9-tetramethyldec-5-yne-4,7-diol (126-86-3)</b>	
LC50 - Fish [1]	36 mg/l (Pimephales promelas)
EC50 - Crustacea [1]	88 mg/l 48h
EC50 72h - Algae [1]	15 mg/l
NOEC (acute)	1 mg/l 72h
<b>Glycerol (56-81-5)</b>	
LC50 - Fish [1]	54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
<b>1,2-benzisothiazol-3(2H)-one (2634-33-5)</b>	
LC50 - Fish [1]	2,15 – 22 mg/l
LC50 - Fish [2]	2,15 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2,9 – 2,94 mg/l
EC50 - Crustacea [2]	2,9 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	70 – 150 µg/L
<b>12.2. Persistence and degradability</b>	
No additional information available	
<b>12.3. Bioaccumulative potential</b>	
<b>1-amino-4-hydroxy-2-phenoxyanthraquinone (17418-58-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	1,766 @ 20 °C
<b>2,4,7,9-tetramethyldec-5-yne-4,7-diol (126-86-3)</b>	
Partition coefficient n-octanol/water (Log Pow)	2,64
<b>1,2-benzisothiazol-3(2H)-one (2634-33-5)</b>	
Bioconcentration factor (BCF REACH)	6,62
Partition coefficient n-octanol/water (Log Pow)	0,7 @ 20°C
<b>12.4. Mobility in soil</b>	
No additional information available	
<b>12.5. Results of PBT and vPvB assessment</b>	
No additional information available	
<b>12.6. Endocrine disrupting properties</b>	
No additional information available	
<b>12.7. Other adverse effects</b>	
No additional information available	

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
European List of Waste (LoW) code : 08 03 12\* - waste ink containing dangerous substances

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

#### 14.6. Special precautions for user

**Overland transport**  
Not regulated

**Transport by sea**  
Not regulated

**Air transport**  
Not regulated

**Inland waterway transport**  
Not regulated

**Rail transport**  
Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	DYE SUBLIMATION INK SB610 LIGHT MAGENTA T	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 28,95 %

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

### SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Skin corrosion/irritation - comment	Added	
	Serious eye damage/irritation - comment	Added	
	Supersedes	Modified	
	Revision date	Modified	
1.1	Product code	Modified	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
5.1	Suitable extinguishing media	Modified	
5.3	Protection during firefighting	Modified	
6.1	Emergency procedures	Modified	
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Precautions for safe handling	Modified	

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
7.1	Hygiene measures	Modified	
8.2	Respiratory protection	Modified	
8.2	Personal protective equipment	Modified	
8.2	Hand protection	Modified	
8.2	Appropriate engineering controls	Modified	
9.2	VOC content	Modified	
15.1	VOC content	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)

# DYE SUBLIMATION INK SB610 LIGHT MAGENTA T

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

EC-No.	European Community number
EN	European Standard
OEL	Occupational Exposure Limit
ThOD	Theoretical oxygen demand (ThOD)
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
ED	Endocrine disrupting properties

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

### Full text of use descriptors

PC18	Ink and Toners
PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
SU0	Other

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Sens. 1	H317	Calculation method
--------------	------	--------------------

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.